

Neurofeedback Literature

ADDICTION

Applicability of brain wave biofeedback to substance use disorder in adolescents. Trudeau DL. *Child Adolesc Psychiatr Clin N Am.* 2005 Jan;14(1):125-36, vii. Review.

Effects of neurotherapy on attention and impulsivity in crack cocaine addiction: A controlled, single-blind study. Burkett, V. Shannon; Cummins, John M.; Dickson, Robert M.; *Journal of Neurotherapy*, Vol 8(2), 2004. pp. 119-120.

Alpha-theta therapy in the treatment of a dually diagnosed patient: A case study. Loytsker, Julia V.; *Dissertation Abstracts International: Section B: The Sciences & Engineering*, Vol 62(11-B), Jun 2002. pp. 5381.

Neurofeedback in the treatment of addictive disorders. Peniston, Eugene G. Kulkosky, Paul J.; In: *Introduction to quantitative EEG and neurofeedback*. Evans, James R.; Abarbanel, Andrew; San Diego, CA, US: Academic Press, Inc, 1999. pp. 157-179.

An investigation of neurofeedback training with alcoholics of Canadian Aboriginal ancestry. Holden, William Bryne; *Dissertation Abstracts International Section A: Humanities & Social Sciences*, Vol 58(10-A), Apr 1998. pp. 3846.

Native Americans, neurofeedback, and substance abuse theory:" Three year outcome of alpha/theta neurofeedback training in the treatment of problem drinking among Dine' (Navajo) people. Kelley, Matthew J.; *Journal of Neurotherapy*, Vol 2(3), Fal-Win 1997. pp. 24-60.

Alpha-theta brainwave neurofeedback training: an effective treatment for male and female alcoholics with depressive symptoms. Saxby E, Peniston EG. *J Clin Psychol.* 1995 Sep;51(5):685-93.

Sociocultural predictors of self-actualization in EEG-biofeedback-treated alcoholics. Twemlow SW, Bowen WT. *Psychol Rep.* 1977 Apr;40(2):591-8. No abstract available.

Neurofeedback in Adolescents and Adults With Attention Deficit Hyperactivity Disorder. Butnik, Steven M.; *Journal of Clinical Psychology*, Vol 61(5), May 2005. pp. 621-625.

EEG Biofeedback treatment on ADHD Children with comorbid tic disorder. Li, Li; Yu-Feng, Wang; *Chinese Mental Health Journal*, Vol 19(4), Apr 2005. pp. 262-265.

A Comparison of IVA-CPT and EEC Biofeedback on Diagnosis for Children with ADHD. Tang, Yan-qing; Li, Yan-ling; Yang, Hua-bin; Chinese Journal of Clinical Psychology, Vol 13(1), 2005. pp. 90, 94-95.

Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. Monastra VJ, Lynn S, Linden M, Lubar JF, Gruzelier J, LaVaque TJ. Appl Psychophysiol Biofeedback. 2005 Jun;30(2):95-114.

Old and new controversies in the alternative treatment of attention-deficit hyperactivity disorder. Rojas NL, Chan E. Ment Retard Dev Disabil Res Rev. 2005;11(2):116-30.

Neurofeedback in adolescents and adults with attention deficit hyperactivity disorder. Butnik SM. J Clin Psychol. 2005 May;61(5):621-5.

ERPs correlates of EEG relative beta training in ADHD children. Kropotov JD, Grin-Yatsenko VA, Ponomarev VA, Chutko LS, Yakovenko EA, Nikishena IS. Int J Psychophysiol. 2005 Jan;55(1):23-34.

Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: rationale and empirical foundation. Monastra VJ. Child Adolesc Psychiatr Clin N Am. 2005 Jan;14(1):55-82, vi. Review.

The Effectiveness of Neurofeedback and Stimulant Drugs in Treating AD/HD: Part II. Replication. Rossiter, Thomas; Applied Psychophysiology & Biofeedback, Vol 29(4), Dec 2004. pp. 233-243.

Neurofeedback Training with Virtual Reality for Inattention and Impulsiveness. Cho, Baek-Hwan; Kim, Saebul; Shin, Dong Ik; CyberPsychology & Behavior, Vol 7(5), Oct 2004. pp. 519-526.

ADHD and drug therapy: Is it still a valid treatment? Doggett Mark; Journal of Child Health Care, Vol 8(1), Mar 2004. pp. 69-81.

EEG Biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. Egner, T.; Gruzelier, J. H.; Clinical Neurophysiology, Vol 115(1), Jan 2004. pp. 131-139.

Neurofeedback as a treatment for ADHD: A methodological review with implications for future research. Vernon, David; Frick, Ann; Gruzelier, John; Journal of Neurotherapy, Vol 8(2), 2004. pp. 53-82.

Hemoencephalography--A New Therapy for Attention Deficit Hyperactivity Disorder (ADHD): Case Report. Mize, William; Journal of Neurotherapy, Vol 8(3), 2004. pp. 77-97.

Attention training with ADHD children: Preliminary findings in a double-blind placebo- controlled study. deBeus, Roger; Ball, J. D.; deBeus, Mary E.; Journal of Neurotherapy, Vol 8(2), 2004. pp. 145-147.

The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: part II. Replication. Rossiter T. Appl Psychophysiol Biofeedback. 2004 Dec;29(4):233-43.

Neurofeedback training with virtual reality for inattention and impulsiveness. Cho BH, Kim S, Shin DI, Lee JH, Lee SM, Kim IY, Kim SI. Cyberpsychol Behav. 2004 Oct;7(5):519-26.

[Neurofeedback for the treatment of attention-deficit/hyperactivity disorder (ADHD) in childhood and adolescence] Holtmann M, Stadler C, Leins U, Strehl U, Birbaumer N, Poustka F. Z Kinder Jugendpsychiatr Psychother. 2004 Jul;32(3):187-200. Review. German.

The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. Rossiter T. Appl Psychophysiol Biofeedback. 2004 Jun;29(2):95-112. Review.

Update on attention-deficit/hyperactivity disorder. Daley KC. Curr Opin Pediatr. 2004 Apr;16(2):217-26. Review.

EEG biofeedback of low beta band components: frequency-specific effects on variables of attention and event-related brain potentials. Egner T, Gruzelier JH. Clin Neurophysiol. 2004 Jan;115(1):131-9.

Electroencephalographic (eeg) biofeedback treatment for children with attention deficit disorders in a school setting. Mosse, Leah Kathryn; Dissertation Abstracts International Section A: Humanities & Social Sciences, Vol 63(12-A), 2003. pp. 4233.

EEG biofeedback vs. placebo treatment for attention-deficit/hyperactivity disorder: a pilot study. Heywood C, Beale I. J Atten Disord. 2003 Sep;7(1):43-55.

Neurofeedback treatment for attention-deficit/hyperactivity disorder in children: a comparison with methylphenidate. Fuchs T, Birbaumer N, Lutzenberger W, Gruzelier JH, Kaiser J. Appl Psychophysiol Biofeedback. 2003 Mar;28(1):1-12.

An assessment of eeg biofeedback for the remediation of attention-deficit/hyperactivity disorder. Heywood, Charles Edward; Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 62(10-B), May 2002. pp. 4829.

Clinical test for Attention Enhancement System. Cho BH, Ku J, Jang D, Lee J, Oh M, Kim H, Lee J, Kim J, Kim I, Kim S. *Stud Health Technol Inform.* 2002;85:89-95.

The effects of stimulant therapy, EEG biofeedback, and parenting style on the primary symptoms of attention-deficit/hyperactivity disorder. Monastra VJ, Monastra DM, George S. *Appl Psychophysiol Biofeedback.* 2002 Dec;27(4):231-49.

Alternative treatments for attention-deficit/hyperactivity disorder: does evidence support their use? Brue AW, Oakland TD. *Altern Ther Health Med.* 2002 Jan-Feb;8(1):68-70, 72-4. Review.

The effects of neurofeedback on intelligence and behavior of children with attention deficit disorders. O'Dell, Brenda Dawn; *Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 62(2-B), Aug 2001.* pp. 1093.

Effect of biofeedback training of sensorimotor and β -sub-1EEG rhythms on attention parameters. Grin'-Yatsenko, V. A.; Kropotov, Yu. D.; Ponomarev, V. A.; *Human Physiology, Vol 27(3), May 2001.* pp. 259-266.

Evaluation of the effectiveness of an attention enhancement program for children diagnosed with ADHD administered in the school setting. Grisanzio, William Richard; *Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 61(9-B), Apr 2001.* pp. 5043.

The efficacy of EEG neurofeedback in the treatment of ADHD children: A case study analysis. Padolsky, Ilean Phyllis; *Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 61(12-B), 2001.* pp. 6716.

ADHD and Stuttering: Similar EEG Profiles Suggest Neurotherapy as an Adjunct to Traditional Speech Therapies. Ratcliff-Baird, Brenda; *Journal of Neurotherapy, Vol 5(4), 2001.* pp. 5-22.

EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. Carmody, Dennis P.; Radvanski, Diane C.; Wadhvani, Sonia; *Journal of Neurotherapy, Vol 4(3), 2001.* pp. 5-27.

Neurofeedback Therapy of Attention Deficits in Patients with Traumatic Brain Injury. Keller, Ingo; *Journal of Neurotherapy, Vol 5(1-2), 2001.* pp. 19-32.

Attention and Neurofeedback Synchrony Training: Clinical Results and Their Significance. McKnight, J. T.; Fehmi, L. G.; *Journal of Neurotherapy, Vol 5(1-2), 2001.* pp. 45-61.

Learned self-regulation of EEG frequency components affects attention and

event-related brain potentials in humans. Egner T, Gruzelier JH. *Neuroreport*. 2001 Dec 21;12(18):4155-9.

EEG biofeedback treatment of ADD. A viable alternative to traditional medical intervention? Ramirez PM, Desantis D, Opler LA. *Ann N Y Acad Sci*. 2001 Jun;931:342-58. Review.

Alternative treatments for adults with attention-deficit hyperactivity disorder (ADHD). Arnold LE. *Ann N Y Acad Sci*. 2001 Jun;931:310-41. Review.

EEG markers for attention deficit disorder: Pharmacological and neurofeedback applications. Serman, M. Barry; *Child Study Journal*, Vol 30(1), 2000. pp. 1-23.

Efficacy of Barabasz's instant alert hypnosis in the treatment of ADHD with neurotherapy. Anderson, Kathryn; Barabasz, Marianne; Barabasz, Arreed; *Child Study Journal*, Vol 30(1), 2000. pp. 51-62.

Effect of neurofeedback on variables of attention in a large multi-center trial. Kaiser, David A.; Othmer, Siegfried; *Journal of Neurotherapy*, Vol 4(1), 2000. pp. 5-15.

Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit hyperactivity disorder. Tinius, Timothy P.; Tinius, Kathleen A.; *Journal of Neurotherapy*, Vol 4(2), 2000. pp. 27-44.

Neurofeedback therapy for ADHD and related neurological disorders. Schulenburg, Neil P.; *Journal of Neurotherapy*, Vol 3(2), Spr 1999. pp. 10-20.

Neurofeedback assessment and treatment for attention deficit/hyperactivity disorders. Lubar, Joel F. Lubar, Judith O.; In: *Introduction to quantitative EEG and neurofeedback*. Evans, James R.; Abarbanel, Andrew; San Diego, CA, US: Academic Press, Inc, 1999. pp. 103-143.

Frequency band interaction in ADD/ADHD neurotherapy. Ramos, Franklin; *Journal of Neurotherapy*, Vol 3(1), Sum-Fal 1998. pp. 26-41.

Neurofeedback training in a case of attention deficit hyperactivity disorder. Wadhvani, Sonia; Radvanski, Diane C.; Carmody, Dennis P.; *Journal of Neurotherapy*, Vol 3(1), Sum-Fal 1998. pp. 42-49.

Patient-directed neurofeedback for AD/HD. Rossiter, Thomas R.; *Journal of Neurotherapy*, Vol 2(4), Spr 1998. pp. 54-63.

EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. Boyd, William D.; Campbell, Susan E.; *Journal of Neurotherapy*, Vol 2(4), Spr 1998. pp. 65-71.

Neurofeedback combined with training in metacognitive strategies: effectiveness in students with ADD. Thompson L, Thompson M. *Appl Psychophysiol Biofeedback*. 1998 Dec;23(4):243-63.

Biofeedback as a treatment for Attention Deficit Hyperactivity Disorder. Anderson, Judy Novak; *Dissertation Abstracts International: Section B: The Sciences & Engineering*, Vol 58(5-B), Nov 1997. pp. 2663.

The practical aspects of diagnosing and managing children with attention deficit hyperactivity disorder. Wolraich, Mark L.; Baumgaertel, Anna; *Clinical Pediatrics*, Vol 36(9), Sep 1997. pp. 497-504.

EEG biofeedback training in a clinical sample of school age children treated for attention deficit hyperactivity disorder (neurofeedback). Thorpe, Tamsen; *Dissertation Abstracts International: Section B: The Sciences & Engineering*, Vol 58(3-B), Sep 1997. pp. 1550.

Neocortical dynamics: implications for understanding the role of neurofeedback and related techniques for the enhancement of attention. Lubar JF. *Appl Psychophysiol Biofeedback*. 1997 Jun;22(2):111-26. Review.

Attention-deficit hyperactivity disorder. Pharmacotherapy and beyond. Tan G, Schneider SC. *Postgrad Med*. 1997 May;101(5):201-4, 213-4, 216 passim. Review.

EEG biofeedback for the enhancement of attentional processing in normal college students. Rasey, Howard W.; Lubar, Joel F.; McIntyre, Anne; *Journal of Neurotherapy*, Vol 1(3), Win 1996. pp. 15-21.

Event related potential of subgroups of children with attention deficit hyperactivity disorder and the implications for EEG biofeedback. Linden, Michael; Gevitz, Richard; Isenhardt, Robert; *Journal of Neurotherapy*, Vol 1(3), Win 1996. pp. 40-49.

Event related potentials of subgroups of children with attention deficit hyperactivity disorder and the implications for EEG biofeedback. Linden, Michael; Gevitz, Richard; Isenhardt, Robert; *Journal of Neurotherapy*, Vol 1(4), Spr-Sum 1996. pp. 1-11.

Computer-assisted cognitive training for ADHD: A case study. Kotwal, Dilnavaz B.; Burns, William J.; Montgomery, Doil D.; *Behavior Modification*, Vol 20(1), Jan 1996. pp. 85-96.

EEG biofeedback and the remediation of ADHD symptomatology: A controlled treatment outcome study. Cartozzo, Henry Anthony; *Dissertation Abstracts*

International Section A: Humanities & Social Sciences, Vol 56(5-A), Nov 1995. pp. 1706.

EEG biofeedback: A new treatment option for ADD/ADHD. Alhambra, Marabella A.; Fowler, Timothy P.; Alhambra, Antonio A.; Journal of Neurotherapy, Vol 1(2), Fal 1995. pp. 39-43.

A comparison of EEG biofeedback and psychostimulants in treating attention deficit/ hyperactivity disorders. Rossiter, Thomas R.; La Vaque, Theodore J.; Journal of Neurotherapy, Vol 1(1), Sum 1995. pp. 48-59.

Differences in baseline EEG measures for ADD and normally achieving preadolescent males. Janzen, Troy; Graap, Ken; Stephanson, Stephan; Biofeedback & Self Regulation, Vol 20(1), Mar 1995. pp. 65-82.

The effects of neurofeedback training with background music on EEG patterns of ADD and ADHD children. Pratt, Rosalie Rebollo; Abel, Hans-Henning; Skidmore, Jon; International Journal of Arts Medicine, Vol 4(1), Spr 1995. pp. 24-31.

Neurofeedback for the management of attention-deficit/hyperactivity disorders. Lubar, Joel F. In: Biofeedback: A practitioner's guide (2nd ed.). Schwartz, Mark S.; New York, NY, US: Guilford Press, 1995. pp. 493-522.

Evaluation of the effectiveness of EEG neurofeedback training for ADHD in a clinical setting as measured by changes in T.O.V.A. scores, behavioral ratings, and WISC-R performance. Lubar JF, Swartwood MO, Swartwood JN, O'Donnell PH. Biofeedback Self Regul. 1995 Mar;20(1):83-99.

Ten-year stability of EEG biofeedback results for a hyperactive boy who failed fourth grade perceptually impaired class. Tansey MA. Biofeedback Self Regul. 1993 Mar;18(1):33-44.

Discourse on the development of EEG diagnostics and biofeedback for attention-deficit/ hyperactivity disorders. Lubar JF. Biofeedback Self Regul. 1991 Sep;16(3):201-25. Review.

Biofeedback assisted attention training: Open Focus® Workshop. Fehmi, Les; Psychotherapy in Private Practice, Vol 5(1), Spr 1987. pp. 47-49.

Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting. Lubar JO, Lubar JF. Biofeedback Self Regul. 1984 Mar;9(1):1-23.

EMG and EEG biofeedback training in the treatment of a 10-year-old hyperactive boy with a developmental reading disorder. Tansey MA, Bruner RL.

Biofeedback Self Regul. 1983 Mar;8(1):25-37.

The effects of EEG biofeedback training on the behavior of hyperactive children. Parziale, Jeffrey L.; Dissertation Abstracts International, Vol 43(3-B), Sep 1982. pp. 881-882.

A comparison of two feedback encephalography training programs (with self-regulation strategies) upon selected physiological, psychological, and motor performance correlates of arousal and attention. Matteson, J. Harold; Dissertation Abstracts International, Vol 42(6-B), Dec 1981. pp. 2590-2591.

EEG and behavioral changes in a hyperkinetic child concurrent with training of the sensorimotor rhythm (SMR): a preliminary report. Lubar JF, Shouse MN. Biofeedback Self Regul. 1976 Sep;1(3):293-306.

ANXIETY DISORDERS

Neurofeedback with anxiety and affective disorders. Hammond DC. Child Adolesc Psychiatr Clin N Am. 2005 Jan;14(1):105-23, vii. Review.

A review of EEG biofeedback treatment of anxiety disorders. Moore NC. Clin Electroencephalogr. 2000 Jan;31(1):1-6. Review.

The efficacy of alpha and theta neurofeedback training in treatment of generalized anxiety disorder. Vanathy, S.; Sharma, P. S. V. N.; Kumar, K. B.; Indian Journal of Clinical Psychology, Vol 25(2), Sep 1998. pp. 136-143.

Biofeedback as a placebo: Anxiety reduction facilitated by training in either suppression or enhancement of alpha brainwaves. Plotkin, William B.; Rice, Kathleen M.; Journal of Consulting & Clinical Psychology, Vol 49(4), Aug 1981. pp. 590-596.

AUTISM

Effects of electroencephalogram biofeedback with Asperger's syndrome. Scolnick B. Int J Rehabil Res. 2005 Jun;28(2):159-63.

Efficacy of Neurofeedback for Children in the Autistic Spectrum: A Pilot Study. Jarusiewicz, Betty; Journal of Neurotherapy, Vol 6(4), 2002. pp. 39-49.

AUTOIMMUNE DISORDERS

EEG biofeedback in the treatment of Lyme disease: A case study. Packard, Russell C.; Ham, Lesley P.; Journal of Neurotherapy, Vol 1(3), Win 1996. pp. 22-31.

CHRONIC FATIGUE SYNDROME

Treatment of chronic fatigue with neurofeedback and self-hypnosis. Hammond DC. NeuroRehabilitation. 2001;16(4):295-300.

EEG biofeedback as a treatment for chronic fatigue syndrome: a controlled case report. James LC, Folen RA. Behav Med. 1996 Summer;22(2):77-81.

CONDUCT DISORDER

Abnormal QEEG patterns associated with dissociation and violence. Evans, James R.; Claycomb, Suzanne; Journal of Neurotherapy, Vol 3(2), Spr 1999. pp. 21-27.

Quantitative EEG findings among men convicted of murder. Evans, James R.; Park, Nan- Sook; Journal of Neurotherapy, Vol 2(2), Spr-Sum 1997. pp. 31-39.

EEG Biofeedback Training for Attention Deficit Disorder, Specific Learning Disabilities, and Associated Conduct Problems Siegfried Othmer, Susan F. Othmer, & Clifford S. Marks September 1991

Composite biofeedback conditioning and dangerous offenders: III. Quirk, Douglas A. Journal of Neurotherapy, 1995 Fal, v1 (n2):44-54.

EPILEPSY

Neurofeedback treatment of epilepsy. Walker JE, Kozlowski GP. Child Adolesc Psychiatr Clin N Am. 2005 Jan;14(1):163-76, viii. Review.

Neurofeedback and epilepsy. Monderer RS, Harrison DM, Haut SR. Epilepsy Behav. 2002 Jun;3(3):214-218.

Negative potential shifts and the prediction of the outcome of neurofeedback therapy in epilepsy. Kotchoubey B, Strehl U, Holzapfel S, Blankenhorn V,

Froscher W, Birbaumer N. Clin Neurophysiol. 1999 Apr;110(4):683-6.

A meta-analysis of psychological treatments for epilepsy. Yesu, Daniel; Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 59(4-B), Oct 1998. pp. 1873.

Neurofeedback treatment of pseudoseizure disorder. Swingle PG. Biol Psychiatry. 1998 Dec 1;44(11):1196-9.

Effectiveness of psychological interventions for people with poorly controlled epilepsy. Goldstein, Laura H.; Journal of Neurology, Neurosurgery & Psychiatry, Vol 63(2), Aug 1997. pp. 137-142.

Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure disorder: A case report. Hansen, Lisa M.; Trudeau, David L.; Grace, Dixie L.; Journal of Neurotherapy, Vol 2(1), Fal-Win 1996. pp. 6-14.

Predictive factors for controlling seizures using a behavioural approach. Andrews DJ, Schonfeld WH. Seizure. 1992 Jun;1(2):111-6.

Evocation and inhibition of seizures: Behavioral treatment. Fenwick, Peter In: Neurobehavioral problems in epilepsy. Smith, Dennis B.; Treiman, David M.; New York, NY, England: Raven Press, Publishers, 1991. pp. 163-183.

EEG biofeedback and relaxation training in the control of epileptic seizures. Tozzo CA, Elfner LF, May JG Jr. Int J Psychophysiol. 1988 Aug;6(3):185-94.

Neuropsychological aspects of complex partial seizures: Diagnostic and treatment issues. Bennett, Thomas L.; International Journal of Clinical Neuropsychology, Vol 9(1), 1987. pp. 37-45.

Eight to twelve Hertz occipital EEG training with moderate and severely retarded epileptic individuals. Rudrud, Eric H.; Dissertation Abstracts International, Vol 39(5-B), Nov 1978. pp. 2546.

Electroencephalographic biofeedback methodology and the management of epilepsy. Lubar, Joel F.; Pavlovian Journal of Biological Science, Vol 12(3), Jul-Sep 1977. pp. 147-185.

Operant conditioning of epileptic neurons in monkeys and its theoretical application to EEG operant conditioning in humans. Wyler AR. Pavlov J Biol Sci. 1977 Jul-Sep;12(3):130-46.

Behavioral management of epileptic seizures following EEG biofeedback training of the sensorimotor rhythm. Lubar JF, Bahler WW. Biofeedback Self Regul. 1976 Mar;1(1):77-104.

Reduction of seizures in refractory epileptic patients through EEG biofeedback training. Seifert, Alvin R.; Dissertation Abstracts International, Vol 36(3-B), Sep 1975. pp. 1481.

Reduction of epileptic seizures through EEG biofeedback training. Seifert AR, Lubar JF. Biol Psychol. 1975 Nov;3(3):157-84.

Biofeedback in epileptics: equivocal relationship of reinforced EEG frequency to seizure reduction. Kaplan BJ. Epilepsia. 1975 Sep;16(3):477-85.

Phased biofeedback approach for epileptic seizure control. Johnson, Richard K.; Meyer, Robert G.; Journal of Behavior Therapy & Experimental Psychiatry, Vol 5(2), Sep 1974. pp. 185-187.

EEG biofeedback and epilepsy. Kaplan, Bonnie J.; Dissertation Abstracts International, Vol 35(2-B), Aug 1974. pp. 1082.

Neurophysiologic and clinical studies of sensorimotor EEG biofeedback training: some effects on epilepsy. Serman MB. Seminars in Psychiatry

LEARNING DISABILITIES

Electroencephalogram biofeedback for reading disability and traumatic brain injury. Thornton KE, Carmody DP. Child Adolesc Psychiatr Clin N Am. 2005 Jan;14(1):137-62, vii. Review.

Neurofeedback for elementary students with identified learning problems. Orlando, Peter C.; Rivera, Richard O.; Journal of Neurotherapy, Vol 8(2), 2004. pp. 5-19.

EEG and behavioral changes following neurofeedback treatment in learning disabled children. Fernandez T, Herrera W, Harmony T, Diaz-Comas L, Santiago E, Sanchez L, Bosch J, Fernandez-Bouzas A, Otero G, Ricardo-Garcell J, Barraza C, Aubert E, Galan L, Valdes R. Clin Electroencephalogr. 2003 Jul;34(3):145-52.

Visual-motor integration and its relation to EEG neurofeedback brain wave patterns, reading, spelling, and arithmetic achievement in attention deficit disorder and learning disabled students. Fenger, T. Nick; Journal of Neurotherapy, Vol 3(1), Sum-Fal 1998. pp. 9-18.

A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities": Erratum. Linden,

Michael; Habib, Thomas; Radojevic, Vesna; *Biofeedback & Self Regulation*, Vol 21(3), Sep 1996. pp. 297.

EEG Beta and Theta training with learning disabled children: Variables associated with individual responsivity. Schnoll, Ellen Rae; *Dissertation Abstracts International: Section B: The Sciences & Engineering*, Vol 56(8-B), Feb 1996. pp. 4592.

A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. Linden M, Habib T, Radojevic V. *Biofeedback Self Regul.* 1996 Mar;21(1):35-49. Erratum in: 1996 Sep;21(3):297.

Wechsler (WISC--R) changes following treatment of learning disabilities via EEG biofeedback training in a private practice setting. Tansey, Michael A.; *Australian Journal of Psychology*, Vol 43(3), Dec 1991. pp. 147-153.

An investigation of the remediation of learning disabilities utilizing EEG biofeedback as measured by neuropsychological and psychoeducational tests, and EEG spectral analysis. Bell, Corinne R.; *Dissertation Abstracts International*, Vol 46(9-B), Mar 1986. pp. 3235-3236.

EEG biofeedback and learning disabilities. Lubar, Joel F.; *Theory Into Practice*, Vol 24(2), Spr 1985. pp. 106-111.

EEG sensorimotor rhythm biofeedback training: some effects on the neurologic precursors of learning disabilities. Tansey MA. *Int J Psychophysiol.* 1984 Feb;1(2):163-77.

The effects of bilateral EEG biofeedback on verbal, visual-spatial, and creative skills in learning disabled male adolescents. Cunningham MD, Murphy PJ. *J Learn Disabil.* 1981 Apr;14(4):204-8. No abstract available.

An investigation of relationships between an enhanced theta brainwave condition and visually presented paired associate learning. Mapes, Joseph L.; *Dissertation Abstracts International*, Vol 38(5-B), Nov 1977. pp. 2418.

MIGRAINE

The efficacy of neurofeedback on migrainous neuralgia. Walcutt, Diana L.; *Dissertation Abstracts International: Section B: The Sciences & Engineering*, Vol 62(1-B), Jul 2001. pp. 568.

EEG biofeedback for post-traumatic headache and cognitive dysfunction: A pilot study. Packard, Russell C.; Ham, Lesley P.; *Headache Quarterly*, Vol 8(4), 1997. pp. 348-352.

MOOD DISORDERS

An alternative treatment for depression using EEG biofeedback to alter frontal alpha asymmetry and improve mood. Nazarian, Maria; Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 65(9-B), 2005. pp. 4842.

The effects of alpha/theta neurofeedback on personality and mood. Raymond J, Varney C, Parkinson LA, Gruzelier JH. Brain Res Cogn Brain Res. 2005 May;23(2-3):287-92.

Clinical use of an alpha asymmetry neurofeedback protocol in the treatment of mood disorders: Follow-up study one to five years post therapy. Baehr, Elsa; Rosenfeld, J. Peter; Baehr, Rufus; Journal of Neurotherapy, Vol 4(4), 2001. pp. 11-18.

Neurofeedback treatment of depression with the Roshi. Hammond, D. Corydon; Journal of Neurotherapy, Vol 4(2), 2000. pp. 45-56.

An EEG biofeedback protocol for affective disorders. Rosenfeld JP. Clin Electroencephalogr. 2000 Jan;31(1):7-12. Review. No abstract available.

Single case study of EEG asymmetry biofeedback for depression: An independent replication in an adolescent. Earnest, Carolyn; Journal of Neurotherapy, Vol 3(2), Spr 1999. pp. 28-35.

Clinical use of an alpha asymmetry neurofeedback protocol in the treatment of mood disorders. Baehr, Elsa Rosenfeld, J. Peter; Baehr, Rufus; In: Introduction to quantitative EEG and neurofeedback. Evans, James R.; Abarbanel, Andrew; San Diego, CA, US: Academic Press, Inc, 1999. pp. 181-201.

The clinical use of an alpha asymmetry protocol in the neurofeedback treatment of depression: Two case studies. Baehr, Elsa; Rosenfeld, J. P.; Baehr, Rufus; Journal of Neurotherapy, Vol 2(3), Fal-Win 1997. pp. 10-23.

TRAUMATIC BRAIN INJURY

EEG-NeuroBioFeedback treatment of patients with brain injury Part 3: Cardiac

parameters and finger temperature changes associated with rehabilitation. Laibow, Rima E.; Stubblebine, Albert N.; Sandground, Henry; Journal of Neurotherapy, Vol 6(1), 2002. pp. 5-21.

EEG-NeuroBioFeedback treatment of patients with brain injury Part 4: Duration of treatments as a function of both the initial load of clinical symptoms and the rate of rehabilitation. Bounais, Michel; Laibow, Rima E.; Stubblebine, Albert N.; Journal of Neurotherapy, Vol 6(1), 2002. pp. 23-38.

EEG operant conditioning (biofeedback) and traumatic brain injury. Thatcher RW. Clin Electroencephalogr. 2000 Jan;31(1):38-44. Review.

Neurofeedback in closed head injury: A multiple case design study. Salerno, John A.; Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 57(11- B), May 1997. pp. 7266.

The effects of EEG biofeedback on vigilance in adults following mild traumatic brain injury. Hamilton, Paul Martin; Dissertation Abstracts International: Section B: The Sciences & Engineering, Vol 57(9-B), Mar 1997. pp. 5969.

Diagnosis and treatment of head injury. Hoffman, Daniel A.; Stockdale, Steven; Hicks, Lana L.; Journal of Neurotherapy, Vol 1(1), Sum 1995. pp. 14-21.

Neurofeedback therapy for a mild head injury. Byers, Alvah P.; Journal of Neurotherapy, Vol 1(1), Sum 1995. pp. 22-37.

SLEEP DISORDERS

Vigilance, sleep and epilepsy. Vieth J. Eur Neurol. 1986;25 Suppl 2:128-33.

A double-blind investigation of the relationship between seizure activity and the sleep EEG following EEG biofeedback training. Whitsett SF, Lubar JF, Holder GS, Pamplin WE, Shabsin HS. Biofeedback Self Regul. 1982 Jun;7(2):193-209.

The treatment of psychophysiological insomnia with biofeedback: a replication study. Hauri PJ, Percy L, Hellekson C, Hartmann E, Russ D. Biofeedback & Self-Regulation 7 (2): 223-235 (Jun 1982)

Treating psychophysiological insomnia with biofeedback. Hauri P. Arch Gen Psychiatry 38 (7): 752-758 (Jul 1981)